

# GREASE F-RLI



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ISSUE DATE: 12.11.2021  
REVISION DATE: 12.11.2021

VERSION: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Grease F-RLI  
Product code : Ford Internal Ref.: 505548  
SDS Number : 9320  
Product use : Professional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Function or use category : Lubricant, Grease

##### 1.2.2. Uses advised against

Restrictions on use : None known

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Ford-Werke GmbH  
Edsel-Ford-Str. 2-14  
50769 Cologne  
Germany  
+49 221 90-33333  
sdseu@ford.com

##### Distributor

Ford Motor Company Ltd.  
Parts Distribution Centre  
Royal Oak Way South  
NN11 8NT Daventry, Northants  
United Kingdom  
+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008

EUH-statements EUH208 - Contains 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Dilithium azelate	38900-29-7	1 - < 5	Acute Tox. 4 (Oral), H302	

	254-184-4 01-2120119814-57-XXXX		(ATE=500 mg/kg bodyweight)	
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2 276-763-0 01-2120119820-64-XXXX	0,1 - < 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	

Comments

: Note L:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil-derived substances in Annex I.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May produce an allergic reaction. May cause skin irritation.
- Symptoms/effects after eye contact : May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Advice for firefighters

- Precautionary measures fire : Cool containers exposed to heat with water spray and remove container, if no risk is involved.
- Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate spillage area. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained.

### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Keep unnecessary personnel away. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
- Methods for cleaning up : Large Spills: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Small spills: Mechanically recover the product. Never return spills in original containers for re-use.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapours, mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation, especially in confined areas.
- Storage conditions : Store in original tightly closed container. Store in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 7.3. Specific end use(s)

Lubricant. Grease.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

#### Dilithium azelate (38900-29-7)

---

##### DNEL/DMEL (Workers)

Long-term - local effects, dermal 0.046 mg/cm<sup>2</sup>

##### DNEL/DMEL (General population)

Acute - systemic effects, oral 27 mg/kg bodyweight

Long-term - local effects, dermal 0.023 mg/cm<sup>2</sup>

**PNEC (Water)**

PNEC aqua (freshwater)	0.023 mg/l
PNEC aqua (marine water)	0.002 mg/l

**5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione (72676-55-2)****DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	0.93 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.29 mg/m <sup>3</sup>

**DNEL/DMEL (General population)**

Long-term - systemic effects, oral	0.17 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.56 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.33 mg/kg bodyweight/day

**PNEC (Water)**

PNEC aqua (freshwater)	0.003 mg/l
PNEC aqua (marine water)	0
PNEC aqua (intermittent, freshwater)	0.003 mg/l

**PNEC (Sediment)**

PNEC sediment (freshwater)	0.039 mg/kg dwt
PNEC sediment (marine water)	0.004 mg/kg dwt

**PNEC (Soil)**

PNEC soil	0.006 mg/kg dwt
-----------	-----------------

**PNEC (STP)**

PNEC sewage treatment plant	0.31 mg/l
-----------------------------	-----------

**8.1.5. Control banding**

No additional information available

**8.2. Exposure controls****8.2.1. Appropriate engineering controls****Appropriate engineering controls:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**8.2.2. Personal protection equipment****Personal protective equipment:**

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

**8.2.2.1. Eye and face protection****Eye protection:**

Safety glasses with side shields. EN 166.

**8.2.2.2. Skin protection****Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

protective gloves. EN 374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH,

source of supply see [www.kcl.de](http://www.kcl.de)) or comparable product.

In case of splash contact: 6 (> 480 minutes) 0.4  
Nitrile rubber (NBR)

Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH,  
source of supply see [www.kcl.de](http://www.kcl.de)) or comparable product.

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. EN 141

### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid release to the environment.

#### Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Paste.
Colour	: Black.
Odour	: Characteristic.
Odour threshold	: Not applicable
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not applicable
Flammability (solid, gas)	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.94 g/cm <sup>3</sup> @ 25°C
Solubility	: insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable

### 9.2. Other information

VOC (EU) : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Contact with incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong oxidizing agent. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Based on available data, the classification criteria are not met  
Acute toxicity (dermal) : Based on available data, the classification criteria are not met  
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

#### Grease F-RLI

ATE CLP (oral)	> 2000 mg/kg
----------------	--------------

Skin corrosion/irritation	: Based on available data, the classification criteria are not met Repeated or prolonged skin contact may cause irritation pH: Not applicable
Serious eye damage/irritation	: Based on available data, the classification criteria are not met Direct contact with eyes may cause temporary irritation pH: Not applicable
Respiratory or skin sensitisation	: May produce an allergic reaction
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met (All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen)
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

#### Grease F-RLI

Viscosity, kinematic	Not applicable
----------------------	----------------

Potential adverse human health effects and symptoms : Information on Effects: refer to section 4

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.  
Hazardous to the aquatic environment, short-term (acute) : Based on available data, the classification criteria are not met  
Hazardous to the aquatic environment, long-term (chronic) : Based on available data, the classification criteria are not met

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

### Grease F-RLI

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

## 12.6. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.

Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Additional information : Dispose in accordance with all applicable regulations.

European List of Waste (LoW) code : The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  
12 01 12\* - spent waxes and fats  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %

Other information, restriction and prohibition regulations : Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

#### Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

None.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative
OEL	Occupational Exposure Limit
RRN	REACH Registration no.
CAO	Cargo Aircraft Only
PCA	Passenger and Cargo Aircraft

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
EUH208	Contains 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
Skin Sens. 1	Skin sensitisation, Category 1

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*



Attachment to the Safety Data Sheet



**Product Name:** Grease F-RLI

**Ford Int. Ref. No.:** 505548

REVISION DATE: 12.11.2021

**Involved Products:**

	<b>Finiscode</b>	<b>Part number</b>	<b>Container Size:</b>
.	1 2 602 256	MU7J 19A506 AA	90 g
.	2 2 602 258	MU7J 19A506 BA	120 g